

ORDINANCE NO. 660

AN ORDINANCE AMENDING CURRENTLY EFFECTIVE BUILDING CODES, PREVIOUSLY ADOPTED BY THE TOWN OF HAYDEN TO CONFORM TO THE INTERNATIONAL BUILDING CODE, 2009 EDITION, INCLUDING APPENDIX CHAPTERS C AND J; INTERNATIONAL RESIDENTIAL CODE, 2009 EDITION, INCLUDING APPENDIX CHAPTER E; INTERNATIONAL EXISTING BUILDING CODE, 2009 EDITION; UNIFORM CODE FOR THE ABATEMENT OF DANGEROUS BUILDINGS, 1997 EDITION; NATIONAL ELECTRICAL CODE, AS CURRENTLY ADOPTED BY THE STATE OF COLORADO; INTERNATIONAL MECHANICAL CODE, 2009 EDITION; INTERNATIONAL PLUMBING CODE, 2009 EDITION, INCLUDING APPENDIX CHAPTERS B, D, E, F, G; INTERNATIONAL FUEL GAS CODE, 2009 EDITION; INTERNATIONAL ENERGY CONSERVATION CODE, 2009 EDITION, ALL REGULATING THE ERECTION, CONSTRUCTION, ENLARGEMENT, ALTERATION, REPAIR, MOVING, REMOVAL, DEMOLITION, CONVERSION, OCCUPANCY, EQUIPMENT, USE, HEIGHT, AREA AND MAINTENANCE OF ALL BUILDINGS OR STRUCTURES AND BUILDING SERVICE EQUIPMENT; PROVIDING FOR THE ISSUANCE OF PERMITS AND COLLECTION OF FEES THEREFORE; AND PROVIDING FOR PENALTIES FOR THE VIOLATION THEREOF; REPEALING ALL CONFLICTING ORDINANCES; PROVIDING FOR SEVERABILITY; AND PROVIDING AN EFFECTIVE DATE.

RECITALS

1. Colorado Revised Statutes § 31-16-201 to 208 provide that municipalities may adopt certain codes and standards by reference.
2. Pursuant to CRS § 31-16-204, the Council may alter and amend any building code.
3. On April 7, 2011 the Town of Hayden, Town Council, did adopt Ordinance 639 adopting with certain amendments the International Building Code, 2006 Edition.
4. Notice of the hearing shall be published in a newspaper of general circulation in the adopting municipality, once at least ten days preceding the hearing; if there is no such newspaper, the notice shall be posted in the same manner as provided for the posting of a proposed ordinance; the notice shall state the time and place of the hearing.
5. Notice of the public hearing was published in the Steamboat Pilot & Today on July 20, 2014 and the required public hearing before the Council was held on August 7, 2014 all in accordance with CRS § 31-16-203 and the Town of Hayden Home Rule Charter.
6. The International Code Council and similar bodies have updated and improved the codes.
7. The Town Council finds the fees set forth in herein are reasonable and necessary to cover the expected normal costs of plan review and inspection associated with the permits in question.
8. The Building Official has reviewed the 2009 International Building Code and recommends their adoption as set forth herein.

NOW, THEREFORE BE IT ORDAINED BY THE TOWN COUNCIL OF THE TOWN OF HAYDEN, COLORADO AS FOLLOWS:

Section 1: Amendment and Restatement of Existing Codes. The currently effective building codes adopted by Ordinance 639 together with any previously adopted building codes not previously repealed or amended are hereby amended and restated by reference to the codes and materials described as follows:

A. International Building Code Adoption.

“There is hereby adopted by the Town of Hayden, for the purpose of providing minimum standards to safeguard life or limb, health, property, and public welfare by regulating and controlling the design, construction, quality of materials, use and occupancy, location and maintenance of all buildings and structures within the Town, that certain code known as the International Building Code, 2009 Edition, including Appendix Chapters C and J, published by the International Code Council, 4051 West Flossmoor Road, Country Club Hills IL, 60478. The Code, and the whole thereof, is adopted by reference thereto the same as if set forth in length in this section”. This adoption is subject to the amendments set forth herein.

International Building Code Amendments and Deletions.

The International Building Code, 2009 Edition, is amended as follows:

The following sections and paragraphs or subparagraphs of the 2009 International Building Code are hereby amended or deleted as follows:

(1) **International Building Code** is amended by replacing all references to “International Fire Code” with “adopted fire code”.

(2) **International Building Code** is amended by replacing all references to “ICC Electrical Code” with “National Electrical Code” as adopted by the State of Colorado.

Section 103.1 General, is amended to read as follows:

The Building Department is hereby created and the official in charge shall be known as the Building Official.

Section 105.2 Work exempt from permit, is amended as follows:

14. Doors and window replacement is not required a permit if no structural modifications are required for said replacement.

Section 107.5 Retention of construction documents, is amended to read as follows:

One set of approved plans, specifications and computations shall be retained by the Town for a period of not less than 90 days from the date of completion of the work covered therein; and one set of approved plans and specifications shall be returned to the applicant, and said set shall be kept on the site of the building or work at all times during which the work authorized thereby is in progress.

Section 109.2 Schedule of fees, is amended by adding a second paragraph to read as follows:

The fee for each permit shall be as set forth in the latest adopted fee schedule as adopted by the Town of Hayden.

Section 116.1 Unsafe structures and equipment, is amended by adding a second paragraph to read as follows:

The Building Official may use the Uniform Code for Abatement of Dangerous Buildings, as adopted, to provide a just, equitable and practicable method to be cumulative with and in addition to any other remedy provided by this code.

Section 901.1 Scope, is amended to add a second paragraph as follows:

The authority having jurisdiction for fire protection systems shall have the authority to adopt additional standards for fire protection systems subject to applicable state statutes and the terms and conditions of any intergovernmental agreement between the Town of Hayden and any fire protection district.

Section 903.2.8 Group R, is amended to add the following exception:

EXCEPTION: An automatic sprinkler system is not required in multi-use buildings, two stories or less with no more than two (2) dwelling units, provided the building is constructed as required by Section 508.4, and an automatic and manual fire alarm system is installed in accordance with NFPA 72. Sprinkler systems required by other sections and other codes must still be provided.

Section 907.2.1 Group A, Exception, delete.

Section 907.2.2 Group B, Exception, delete.

Section 907.2.4 Group F, Exception, delete.

Section 907.2.7 Group M, Exception 2, delete.

Section 907.2.8.1 Manual fire alarm system, Exception 2, delete.

Section 907.2.9 Group R-2, Exception 2, delete.

Section 1104.4 Multilevel buildings and facilities. Exception 1, the following paragraph is added to this exception:

This exception, exempting elevator or ramp service does not obviate or limit the obligation to comply with all other accessibility requirements required by this chapter. For example, floors above or below the accessible ground floor must meet the requirements of this chapter except for elevator or ramp service. If toilet or bathing facilities are provided on a level not served by an elevator or ramp, then toilet or bathing facilities must be provided on the accessible ground floor.

Section 1207.2 Air-borne sound, The first sentence of this section is amended to read as follows:

Walls, partitions and floor/ceiling assemblies separating dwelling units from each other or from public or service areas shall have a sound transmission class (STC) of not less than 49 (45 if field tested) for air-borne noise when tested in accordance with ASTM E 90.

Section 1207.3 Structure-borne sound, delete.

Section 3007, CERTIFICATES OF INSPECTION is added to read as follows:

3009.1 General. Elevators, dumbwaiters and escalators shall be maintained to sustain safely all imposed loads, to operate properly, and to be free from physical and fire hazards. The most current certificate of inspection shall be on display at all times within the elevator or attached to escalator or dumbwaiter; or the certificate shall be available for public inspection in the office of the building operator.

3009.2 Elevators. In buildings equipped with passenger elevators, at least one elevator shall be maintained in operation at all times when the building is occupied.

Exception: Buildings equipped with only one elevator shall be permitted to have the elevator temporarily out of service for testing or servicing.

Appendix Section J103.3, Grading fees, is added to read as follows:

When plans or other data are required to be submitted, a plan review fee shall be paid at the time of submitting plans and specifications for review. A grading permit fee shall be paid at permit issuance. Said plan review and grading permit fees shall be as set forth in the latest adopted fee schedule as adopted by the Town of Hayden.

B. International Residential Code Adoption

“There is hereby adopted by the Town of Hayden, for the purpose of providing minimum standards to safeguard life or limb, health, property, and public welfare by regulating and controlling the design, construction, quality of materials, use and occupancy, location and maintenance of one and two-family dwellings within the Town, that certain code known as the International Residential Code, 2009 Edition, including Appendix Chapter E and G, published by the International Code Council, 4051 West Flossmoor Road, Country Club Hills IL, 60478. The Code, and the whole thereof, is adopted by reference thereto the same as if set forth in length in this section”. This adoption is subject to the amendments set forth herein.

International Residential Code Amendments and Deletions.

The International Residential Code, 2009 edition, is amended as follows:

The following sections and paragraphs or subparagraphs of the 2009 International Residential Code are hereby amended or deleted as follows:

(1) **International Residential Code** is amended by replacing all references to “International Fire Code” with “adopted fire code”.

(2) **International Residential Code** is amended by replacing all references to “ICC Electrical Code” with “National Electrical Code” as adopted by the State of Colorado.

(3) **International Residential Code** is amended by replacing all references to “Chapter 11 Energy Code” with “2009 International Energy Conservation Code”.

Section R103.1 General, is amended to read as follows:

The Building Department is hereby created and the official in charge shall be known as the Building Official.

Section R105.2 Work exempt from permit, is amended by adding the following:

11. Doors and window replacements in existing dwellings if no structural modifications are required.
12. Roof recovering (Re-Roof) replacements if no structural modifications are required
13. New siding, stucco and re-siding of existing exterior walls.

Section R106.5 Retention of construction documents, is amended to read as follows:

One set of approved plans, specifications and computations shall be retained by the Town for a period of not less than 90 days from the date of completion of the work covered therein; and one set of approved plans and specifications shall be returned to the applicant, and said set shall be kept on the site of the building or work at all times during which the work authorized thereby is in progress.

Section R108.2 Schedule of fees, is amended by adding a second paragraph to read as follows:

The fee for each permit shall be as set forth in the latest adopted fee schedule as adopted by the Town of Hayden.

Table R301.2 (1) CLIMATIC AND GEOGRAPHIC DESIGN CRITERIA, is completed as follows:

"Table R301.2 (1)
Climatic and Geographic Design Criteria

Ground Snow Load	Wind Speed (3 sec. gust)	Seismic Design Category	Subject to Damage From				Winter Design Temp.	Ice Shield Underlay ment Required	Flood Hazard	Air Freezing Index	Mean Annual Temp.
			Weatheri ng	Frost Line Depth	Termit e	Decay					
90	90	B	Severe	48 in.	Slight	None to Slight	-15°F	Yes	FIRM 2005	2239	40°F

° Minimum ground snow load equals 90 psf, Minimum roof snow load shall equal 60 psf, snow loads for unheated structures and uncovered decks shall equal 75 psf.

** NOTE: Dates of the currently effective FIRM

Section R302.2, Townhouses, Exception, delete
Section R305.1.1 Basements, delete.

Section R311.7.9.3 Ship's ladder stairway, is added to read as follows:

An interior fire escape stairway may serve as an exit from an area not to exceed 200 square feet. The pitch of the stairway shall not exceed 60 degrees with a minimum width of 24 inches. Treads shall be not less than 4 inches in width and the rise between treads shall not exceed 10 inches. An approved handrail shall be provided on each side.

Section R311.7.9.4 Alternating tread stairway, is added to read as follows:

Alternating tread stairways may serve as an exit from an area not to exceed 200 square feet. Alternating tread stairways shall have a minimum projected tread of 8.5 inches (216 mm) with a minimum tread depth of 10.5 inches (267 mm). The rise to the next alternating tread surface should not be more than 8 inches (203 mm). The initial tread of the stairway shall begin at the same elevation as the platform, landing or floor surface. An approved handrail shall be provided on each side.

Section R313 Automatic fire sprinkler systems, delete entire section

Section R403.1.4.1 Frost protection. Exception 1, is amended to read as follows:

1. Freestanding accessory structures (private garages) with an area of 576 square feet (53.5 m²) or less and an eave height of 10 feet (3048 mm) or less shall not be required to be protected.

Chapter 11 Energy Efficiency. Delete this chapter in its entirety and replace with:
All buildings governed by the IRC shall comply with the 2009 Energy Conservation Code Chapter 4.

Section R1004.4, Unvented gas log heaters, delete

Section G2406.2 (303.3) Prohibited locations. Exception 3, delete.

Section G2406.2 (303.3) Prohibited locations. Exception 4, delete.

Section G2406.4 LP-gas appliance in pit or basement, is added to read as follows:

Liquefied petroleum gas piping may serve a gas appliance located in a pit, basement or similar location when the following conditions are met:

1. There shall be installed a listed gas detector that is interlocked to a listed solenoid valve located so as to shut off the supply of gas to the building in the event of an alarm.
2. There shall be installed an exhaust system for the purpose of removing unburned gases. The exhaust system shall be interlocked to the gas detector so as to operate automatically

in the event of an alarm. The exhaust system shall provide a minimum of four (4) air changes per hour, and the exhaust intake shall be located within 6 inches of the floor.

Section G2415.10, Minimum burial depth, is amended by the addition of the following:

"All plastic fuel gas piping shall be installed a minimum of 18 inches (457 mm) below grade."

Section G2433 (603) Log lighters, delete.

Section G2445.2 (621.2) Prohibited use, is amended to read as follows:

Unvented room heaters are not to be installed in dwelling units.

Section G2445.7.1 (621.7.1) Unvented decorative room heaters, delete.

Section P2717.2 Sink, dishwasher, is amended as follows:

A sink and dishwasher are permitted to discharge through a single 1.5 inch (38 mm) trap after the dishwasher passes through an air gap device. No domestic dishwashing machine shall be directly connected to a drainage system or food waste disposer without the use of an approved dishwasher air gap fitting on the discharge side of dishwashing machine. Listed air gap fittings shall be installed with the flood level (FL) marking at or above the flood level of the sink or drainboard, whichever is higher, or separately trapped with air gap located on the stand pipe.

Section P2717.3 Sink, dishwasher and food grinder, is amended as follows:

The combined discharge from a sink, dishwasher, dishwasher and food waste grinder is permitted to discharge through a single 1.5 inch (38mm) trap after the dishwasher passes through an air gap device. No domestic dishwashing machine shall be directly connected to a drainage system or food waste disposer without the use of an approved dishwasher air gap fitting on the discharge side of dishwashing machine. Listed air gap fittings shall be installed with the flood level (FL) marking at or above the flood level of the sink or drainboard, whichever is higher, or separately trapped with air gap located on the stand pipe.

Section P3103.1, Roof extension, is amended by filling in both areas where indicated to read "12 inches (4572 mm)."

Section E3301.1 Applicability, is amended by the addition of a second paragraph as follows:

Any conflict with the provisions of this code and the current electrical code adopted by the State of Colorado Electrical Board shall comply with the current State code.

C. International Existing Building Code Adoption

"There is hereby adopted by the Town of Hayden, for the purpose of providing minimum life safety requirements for all existing buildings within the Town that undergo alteration or a change in use, that certain code known as the International Existing Building Code, 2009

Edition, published by the International Code Council, 4051 West Flossmoor Road, Country Club Hills IL, 60478 . The Code, and the whole thereof, is adopted by reference thereto the same as if set forth in length in this section”. This adoption is subject to the amendments set forth herein.

International Existing Building Code Amendments.

The International Existing Building Code, 2009 Edition, is amended as follows:

The following sections and paragraphs or subparagraphs of the 2009 International Existing Building Code are hereby amended or deleted as follows:

Section 103.1 General, is amended to read as follows:

The Building Department is hereby created and the official in charge shall be known as the Building Official. Building Official shall be synonymous with code official in all other references in this code.

D. Uniform Code for the Abatement of Dangerous Buildings Adoption.

“There is hereby adopted by the Town, for the purposes of providing a just, equitable and practical method, to be cumulative with and in addition to any other remedy available by law whereby buildings or structures in the Town which from any cause endanger the life, limb, health, property, safety or welfare of the general public or their occupants may be required to be repaired, vacated, or demolished, that certain code known as the Uniform Code for the Abatement of Dangerous Building, 1997 Edition, published by the International Code Council, 500 New Jersey Avenue, NW, 6th Floor, Washington D.C. 20001. The Code, and the whole thereof, is adopted by reference thereto the same as if set forth in length in this section.”

E. National Electrical Code Adoption.

“There is hereby adopted by the Town of Hayden, for the purpose of regulating the installation and use of electric conductors and equipment within the Town, that certain code known as the National Electric Code, published by the National Fire Protection Association, Batterymarch Park, Quincy, Massachusetts 02269. The Code, Edition as currently adopted by the State of Colorado, State Electrical Board”.

F. International Mechanical Code Adoption.

“There is hereby adopted by the Town of Hayden, for the purpose of regulating and controlling the design, construction, installation, quality of materials, erection, installation, alteration, repair, location, relocation, replacement, addition to, use or maintenance of heating, ventilating, cooling, refrigeration systems, incinerators and other miscellaneous heat-producing appliances in the Town, that certain code known as the International Mechanical Code, 2009 Edition; published by the International Code Council, 4051 West Flossmoor Road, Country Club Hills IL, 60478. The Code, and the whole thereof, is adopted by

reference thereto the same as if set forth in length in this section.” This adoption is subject to the amendments set forth herein.

International Mechanical Code Amendments

The International Mechanical Code, 2009 Edition, is amended as follows:

The following sections and paragraphs or subparagraphs of the 2009 International Mechanical Code are hereby amended or deleted as follows:

Section 103.1 General, is amended to read as follows:

The Building Department is hereby created and the official in charge shall be known as the Building Official. Building Official shall be synonymous with code official in all other references in this code.

Section 106.5.2 Fee schedule, is amended by adding a second paragraph to read as follows:

The fee for each permit shall be as set forth in the latest adopted fee schedule as adopted by the Town of Hayden.

Section 303.3 Prohibited locations, a second paragraph is added to read as follows:

Liquefied petroleum gas-burning appliances shall not be installed in a pit, basement or similar location where heavier-than-air gas might collect, unless the following conditions are met:

1. There shall be installed a listed gas detector that is interlocked to a listed solenoid valve located so as to shut off the supply of gas to the building in the event of an alarm.
2. There shall be installed an exhaust system for the purpose of removing unburned gases. The exhaust system shall be interlocked to the gas detector so as to operate automatically in the event of an alarm. The exhaust system shall provide a minimum of four (4) air changes per hour, and the exhaust intake shall be located within 6 inches of the floor.

Section 903.3 Unvented gas log heaters, delete.

G. International Plumbing Code Adoption.

“There is hereby adopted by the Town of Hayden, for the purpose of regulating and controlling design, construction, installation, quality of materials, erection, installation, alteration, repair, location, relocation, replacement, addition to, use or maintenance of any plumbing system within the Town, that certain code known as the International Plumbing Code, 2009 Edition, including Appendices B, D, E, F, G, published by the International Code Council, 4051 West Flossmoor Road, Country Club Hills IL, 60478. The Code, and the whole thereof, is adopted by reference thereto the same as if set forth in length in this section”. This adoption is subject to the amendments set forth herein.

International Plumbing Code Amendments and Deletions.

The International Plumbing Code, 2009 Edition, is amended as follows:

The following sections and paragraphs or subparagraphs of the 2009 International Plumbing Code are hereby amended or deleted as follows:

Section 103.1 General, is amended to read as follows:

The Building Department is hereby created and the official in charge shall be known as the Building Official. Building Official shall be synonymous with code official in all other references in this code.

Section 106.6.2 Fee schedule, is amended by adding a second paragraph to read as follows:

The fee for each permit shall be as set forth in the latest adopted fee schedule as adopted by the Town of Hayden.

Section 1003.4 Sand and oil separators required, is amended to read as follows:

At any building providing access to motor vehicles, repair garages, car washing facilities, and where oily or flammable liquid wastes are produced or stored, separators shall be installed into which water that may contain heavy solids, oil-bearing, grease-bearing or flammable wastes shall be discharged before emptying in the building drainage system or other point of disposal. Sand and oil interceptors shall be designed and located so as to be provided with ready access for cleaning. Location within a building will require a vapor tight cover.

Exception: Private garages attached to a dwelling or townhome.

Section 802.1.6 Domestic dishwashing machines, is amended to read as follows:

No domestic dishwashing machine shall be directly connected to a drainage system or food waste disposer without the use of an approved air gap fitting on the discharge side of the dishwashing machine. Listed air gaps shall be installed with the flood level (FL) marking at or above the flood level of the sink or drain board, whichever is higher, or separately trapped with the air gap located on the stand pipe.

Section 904.1, Roof extension, is amended by inserting the number "12 inches (457.2 mm)" where indicated in the first sentence.

Section 1003.4.2 Sand and Oil Separator Design is amended to read as follows:

Sand and oil separators shall be designed in accordance with 1003.4.2.1.

Section 1003.4.2.1 General Design Requirements, is amended to read as follows:

Sand and oil separators shall have a depth of not less than 2 feet (610 mm) below the invert of the discharge drain. The outlet opening of the separator shall have not less than an 18-inch (457 mm) water seal. The inlet shall extend to within 6-inches (152 mm) of the

bottom of the interceptor. Sand and oil separators shall have a minimum capacity of 6 cubic feet (0.168 m³) for the first 100 square feet (9.3 m²) of area to be drained, plus 1 cubic foot (0.028 m³) for each additional 100 square feet (9.3 m²) of area to be drained into the separator.

Section 1003.4.2.2 Garages and service stations, delete.

H. International Fuel Gas Code Adoption.

“There is hereby adopted by the Town of Hayden, for the purpose of regulating and controlling the installation of fuel-gas piping systems, fuel-gas utilization equipment and related accessories within the Town, that certain code known as the International Fuel Gas Code, 2009 Edition, published by the International Code Council, 4051 West Flossmoor Road, Country Club Hills IL, 60478. The Code, and the whole thereof, is adopted by reference thereto the same as if set forth in length in this section”. This adoption is subject to the amendments set forth herein.

International Fuel Gas Code Amendments and Deletions.

The International Plumbing Code, 2009 Edition, is amended as follows:

The following sections and paragraphs or subparagraphs of the 2009 International Fuel Gas Code are hereby amended or deleted as follows:

Section 103.1 General, is amended to read as follows:

The Building Department is hereby created and the official in charge shall be known as the Building Official. Building Official shall be synonymous with code official in all other references in this code.

Section 106.5.2 Fee schedule, is amended by adding a second paragraph to read as follows:

The fee for each permit shall be as set forth in the latest adopted fee schedule as adopted by the Town of Hayden.

Section 303.3, Prohibited locations, Exception 3, delete.

Section 303.3, Prohibited locations, Exception 4, delete.

Section 303.3, Prohibited locations, a second paragraph is added to read as follows:

Liquefied petroleum gas-burning appliances shall not be installed in a pit, basement or similar location where heavier-than-air gas might collect, unless the following conditions are met:

1. There shall be installed a listed gas detector that is interlocked to a listed solenoid valve located so as to shut off the supply of gas to the building in the event of an alarm.
2. There shall be installed an exhaust system for the purpose of removing unburned gases. The exhaust system shall be interlocked to the gas detector so as to operate automatically

in the event of an alarm. The exhaust system shall provide a minimum of four (4) air changes per hour, and the exhaust intake shall be located within 6 inches of the floor.

Section 404.10, Minimum burial depth, is amended by the addition of the following:

"All plastic fuel gas piping shall be installed a minimum of 18 inches (457 mm) below grade."

Section 603 Log Lighters, delete.

Section 621.2 Prohibited use, is amended to read as follows:

Unvented room heaters are not to be installed in dwelling units.

I. International Energy Conservation Code Adoption

"There is hereby adopted by the Town of Hayden, for the purpose of providing minimum standards for the effective use of energy, that certain code known as the International Energy Conservation Code, 2009 Edition, published by the International Code Council, 4051 West Flossmoor Road, Country Club Hills IL, 60478. The Code, and the whole thereof, is adopted by reference thereto the same as if set forth in length in this section." This adoption is subject to the amendments set forth herein.

The following sections and paragraphs or subparagraphs of the 2009 International Energy Conservation Code are hereby amended or deleted as follows:

(1) **International Energy Conservation Code** is amended by replacing all references to "International Fire Code" with "adopted fire code".

(2) **International Energy Conservation Code** is amended by replacing all references to "ICC Electrical Code" with "National Electrical Code" as adopted by the State of Colorado.


(3) **International Energy Conservation Code Section 101.1 (Title)** is amended by the addition of the term "Town of Hayden" where indicated.

Section 2: Severability. If any part or parts, sentence, clause or phrase of this ordinance is for any reason held to be invalid, such decision shall not affect the validity of the remaining portion of the Ordinance.

Section 3: Effective Date. This ordinance shall be in full force and effective 30 days its publication.

Section 4. Public Hearing. A public hearing on this Ordinance was held on the 7th day of August 2014 at 7:30 p.m. at the Hayden Town Hall, 178 West Jefferson Avenue, Hayden, Colorado.

INTRODUCED, READ, AND ORDERED PUBLISHED PURSUANT TO SECTION 3-3 (d) OF THE HAYDEN HOME RULE CHARTER, BY THE TOWN COUNCIL OF THE TOWN OF HAYDEN, COLORADO, UPON A MOTION DULY MADE, SECONDED AND PASSED AT ITS REGULAR MEETING HELD AT THE TOWN OF HAYDEN, ON THE 17th DAY OF JULY, 2014.




James M. Haskins, Mayor

ATTEST



Sharon Johnson, Town Clerk

FINALLY ADOPTED, PASSED, APPROVED, AND ORDERED PUBLISHED PURSUANT TO SECTION 3-3 (h) OF THE HAYDEN HOME RULE CHARTER, BY THE TOWN COUNCIL OF THE TOWN OF HAYDEN, COLORADO, UPON A MOTION DULY MADE, SECONDED AND PASSED AT ITS REGULAR MEETING HELD AT THE TOWN OF HAYDEN, ON THE 7th DAY OF AUGUST.



James M. Haskins, Mayor

ATTEST



Sharon Johnson, Town Clerk



