

## Title 15

### BUILDINGS AND CONSTRUCTION

#### Chapters:

**15.04 International Building Code**

- 15.04.010 International Building Code Adoption.
- 15.04.020 International Building Code Amendments and Deletions.

**15.08 International Residential Code**

- 15.08.010 International Residential Code Adoption.
- 15.08.020 International Residential Code Amendments and Deletions.

**15.12 International Existing Building Code**

- 15.12.010 International Existing Building Code Adoption.
- 15.12.020 International Existing Building Code Amendments.

**15.20 International Fire Code**

- 15.20.010 Adoption of the International Fire Code.
- 15.20.020 Establishment and Duties of Bureau of Fire Prevention.
- 15.20.030 Definitions.
- 15.20.040 Amendments to the International Fire Code.

**15.30 Uniform Code for the Abatement of Dangerous Buildings**

- 15.40.010 Uniform Code for the Abatement of Dangerous Buildings Adoption.

**15.40 National Electrical Code**

- 15.40.010 National Electrical Code Adoption.

**15.50 International Code Council Electrical Code**

- 15.50.010 International Code Council Electrical Code, Administrative Provisions, Adoption.
- 15.50.020 International Code Council Electrical Code, Administrative Provisions, Amendments.

**15.60 International Mechanical Code**

- 15.60.010 International Mechanical Code Adoption.
- 15.60.020 International Mechanical Code Amendments.

**15.70 International Plumbing Code**

- 15.70.010 International Plumbing Code Adoption.
- 15.70.020 International Plumbing Code Amendments and Deletions.

**15.74 International Fuel Gas Code**

- 15.74.010 International Fuel Gas Code Adoption.
- 15.74.020 International Fuel Gas Code Amendments and Deletions.

**15.76 International Energy Conservation Code**

- 15.76.010 International Energy Conservation Code Adoption.
- 15.76.020 International Energy Conservation Code Amendments and Deletions.

**15.80 Uniform Solar Energy Code**

- 15.80.010 Adoption of the Uniform Solar Energy Code, 1994 Edition.
- 15.80.020 Penalty.

**15.90 Uniform Swimming Pool, Spa and Hot Tub Code**

- 15.90.010 Adoption of the Uniform Swimming Pool, Spa and Hot Tub Code, 1994 Edition.
- 15.90.020 Penalty.

**15.94 Fee Schedule**

- 15.94.010 Adoption of Fee Schedule.

## Chapter 15.04

### International Building Code

#### 15.04.010 International Building Code Adoption.

#### 15.04.020 International Building Code Amendments and Deletions.

#### 15.04.010 International Building Code Adoption.

There is hereby adopted by the Town of Hayden, for the purpose of providing minimum standards to safeguard life or limb, health, property and public welfare by regulating and controlling the design, construction, quality of materials, use and occupancy, location and maintenance of all buildings and structures within the Town, that certain code known as the International Building Code, 2009 Edition, including Appendix Chapters C and J, published by the International Code Council, 4951 West Flossmoor Road, Country Club Hills, IL 60478. The code, and the whole thereof, is adopted by reference thereto the same as if set forth in length in this section. This adoption is subject to the amendments set forth herein. (Ord. 639 § 1, 2011; Ord. 597 § 1, 2008; Ord. 582 § 1 (part), 2007; Ord. 660 § 1, 2014)

#### 15.04.020 International Building Code Amendments and Deletions.

The International Building Code, 2009 Edition, is amended as follows: The following sections and paragraphs or subparagraphs of the 2009 International Building Code are hereby amended or deleted as follows:

A. The International Building Code is amended by replacing all references to "International Fire Code" with "adopted fire code."

B. The International Building Code is amended by replacing all references to "ICC Electrical Code" with "National Electrical Code" as adopted by the State of Colorado.

C. **Section 103.1, General**, is amended to read as follows:

The Building Department is hereby created and the official in charge shall be known as the Building Official.

D. **Section 105.2, Work exempt from permit**, is amended as follows:

14. Doors and window replacement is not required a permit if no structural modifications are required for said replacement.

E. **Section 107.5, Retention of construction documents**, is amended to read as follows:

One set of approved plans, specifications and computations shall be retained by the Town for a period of not less than 90 days from the date of completion of the work covered therein; and one set of approved plans and specifications shall be returned to the applicant, and said set shall be kept on the site of the building or work at all times during which the work authorized thereby is in progress.

F. **Section 109.2, Schedule of fees**, is amended by adding a second paragraph to read as follows:

The fee for each permit shall be as set forth in the latest adopted fee schedule as adopted by the Town of Hayden.

G. **Section 116.1, Unsafe structures and equipment**, is amended by adding a second paragraph, to read as follows:

The Building Official may use the Uniform Code for Abatement of Dangerous Buildings, as adopted, to provide a just, equitable and practicable method to be cumulative with and in addition to any other remedy provided by this code.

H. **Section 901.1, Scope**, is amended to add a second paragraph as follows:

The authority having jurisdiction for fire protection systems shall have the authority to adopt additional standards for fire protection systems subject to applicable state statutes and the terms and conditions of any intergovernmental agreement between the Town of Hayden and any fire protection district.

I. **Section 903.2.8, Group R**, is amended to add the following Exception:

**EXCEPTION:** An automatic sprinkler system is not required in multi-use buildings, two stories or less with no more than two (2) dwelling units, provided the building is constructed as required by Section 508.4, and an automatic and manual fire alarm system is installed in accordance with NFPA 72. Sprinkler systems required by other sections and other codes must still be provided.

J. **Section 907.2.1, Group A, Exception**, delete.

K. **Section 907.2.2, Group B, Exception**, delete.

L. **Section 907.2.4, Group F, Exception**, delete.

M. **Section 907.2.7, Group M, Exception 2**, delete.

N. **Section 907.2.8.1, Manual fire alarm system, Exception 2**, delete.

O. **Section 907.2.9, Group R-2, Exception 2**, delete.

P. **Section 1104.4, Multilevel buildings and facilities, Exception 1**, the following paragraph is added to this Exception:

This exception, exempting elevator or ramp service, does not obviate or limit the obligation to comply with all other accessibility requirements required by this chapter. For example, floors above or below the accessible ground floor must meet the requirements of this chapter except for elevator or ramp service. If toilet or bathing facilities are provided on a level not served by an elevator or ramp, then toilet or bathing facilities must be provided on the accessible ground floor.

Q. **Section 1207.2, Air-borne sound**. The first sentence of this section is amended to read as follows:

Walls, partitions and floor/ceiling assemblies separating dwelling units from each other or from public or service areas shall have a sound transmission class (STC) of not less than 49 (45 if field tested) for air-borne noise when tested in accordance with ASTM E 90.

R. **Section 1207.3, Structure-borne sound**, delete.

S. **Section 3009, CERTIFICATES OF INSPECTION**, is added to read as follows:

**3009.1 General.** Elevators, dumbwaiters and escalators shall be maintained to sustain safely all imposed loads, to operate properly, and to be free from physical and fire hazards. The most current certificate of inspection shall be on display at all times within the elevator or attached to escalator or dumbwaiter; or the certificate shall be available for public inspection in the office of the building operator.

**3009.2 Elevators.** In buildings equipped with passenger elevators, at least one elevator shall be maintained in operation at all times when the building is occupied.

**EXCEPTION:** Buildings equipped with only one elevator shall be permitted to have the elevator temporarily out of service for testing or servicing.

T. **Appendix Section J103.3, Grading fees**, is added to read as follows:

When plans or other data are required to be submitted, a plan review fee shall be paid at the time of submitting plans and specifications for review. A grading permit fee shall be paid at permit issuance. Said plan review and grading permit fees shall be as set forth in the latest adopted fee schedule as adopted by the Town of Hayden.

(Ord. 639 § 1, 2011; Ord. 597 § 1, 2008; Ord. 582 § 1 (part), 2007; Ord. 660 § 1, 2014)

## **Chapter 15.08**

### **International Residential Code**

**15.08.010 International Residential Code Adoption.**

**15.08.020 International Residential Code Amendments and Deletions.**

**15.08.010 International Residential Code Adoption.**

There is hereby adopted by the Town of Hayden, for the purpose of providing minimum standards to safeguard life or limb, health, property and public welfare by regulating and controlling the design, construction, quality of materials, use and occupancy, location and maintenance of one and two-family dwellings within the Town, that certain code known as the International Residential Code, 2009 Edition, including Appendix Chapters E and G, published by the International Code Council, 4951 West Flossmoor Road, Country Club Hills, IL 60478. The code, and the whole thereof, is adopted by reference thereto the same as if set forth in length in this section. This adoption is subject to the amendments set forth herein. (Ord. 639 § 1, 2011; Ord. 597 § 1, 2008; Ord. 582 § 1 (part), 2007; Ord. 660 § 1, 2014)

**15.08.020 International Residential Code Amendments and Deletions.**

The International Residential Code, 2009 edition, is amended as follows: The following sections and paragraphs or subparagraphs of the 2009 International Residential Code are hereby amended or deleted as follows:

A. The International Residential Code is amended by replacing all references to "International Fire Code" with "adopted fire code."

B. The International Residential Code is amended by replacing all references to "ICC Electrical Code" with "National Electrical Code" as adopted by the State of Colorado.

C. The International Residential Code is amended by replacing all references to "Chapter 11 Energy Code" with "2009 International Energy Conservation Code Chapter 4."

D. **Section R103.1, General**, is amended to read as follows:

The Building Department is hereby created and the official in charge shall be known as the Building Official.

E. **Section R105.2, Work exempt from permit**, is amended to read as follows:

11. Doors and window replacements in existing dwellings if no structural modifications are required.

12. Roof recovering (Re-Roof) replacements if no structural modifications are required.

13. New siding, stucco and re-siding of existing exterior walls.

F. **Section R106.5 Retention of construction documents**, is amended to read as follows:

One set of approved plans, specifications and computations shall be retained by the Town for a period of not less than 90 days from the date of completion of the work covered therein; and one set of approved plans and specifications shall be returned to the applicant, and said set shall be kept on the site of the building or work at all times during which the work authorized thereby is in progress.

G. **Section R108.2, Schedule of fees**, is amended by adding a second paragraph, to read as follows:

The fee for each permit shall be as set forth in the latest adopted fee schedule as adopted by the Town of Hayden.

---

H. **Table R301.2(1), CLIMATIC AND GEOGRAPHIC DESIGN CRITERIA**, is completed as follows:

Ground Snow Load	Wind Speed (3 sec. gust)	Seismic Design Category	Subject to Damage From				Winter Design Temp.	Ice Shield Underlayment Required	Flood Hazard	Air Freezing Index	Mean Annual Temp.
			Weathering	Frost Line Depth	Termite	Decay					
90	90	B	Severe	48 in.	Slight	None to Slight	-15°F	Yes	FIRM 2005	2239	40°F

Minimum ground snow load equals 90 psf. Minimum roof snow load shall equal 60 psf, snow loads for unheated structures and uncovered decks shall equal 75 psf.

NOTE: Dates of the currently effective FIRM.

I. **Section R302.2, Townhouses, Exception**, delete.

J. **Section R305.1.1, Basements**, delete.

K. **Section R311.7.9.3, Ship's ladder stairway**, is added to read as follows:

An interior fire escape stairway may serve as an exit from an area not to exceed 200 square feet. The pitch of the stairway shall not exceed 60 degrees with a minimum width of 24 inches. Treads shall be not less than 4 inches in width and the rise between treads shall not exceed 10 inches. An approved handrail shall be provided on each side.

K. **Section R311.7.9.4, Alternating tread stairway**, is added to read as follows:

Alternating tread stairways may serve as an exit from an area not to exceed 200 square feet. Alternating tread stairways shall have a minimum projected tread of 8.5 inches (216 mm) with a minimum tread depth of 10.5 inches (267 mm). The rise to the next alternating tread surface should not be more than 8 inches (203 mm). The initial tread of the stairway shall begin at the same elevation as the platform, landing or floor surface. An approved handrail shall be provided on each side.

M. **Section R313, Automatic fire sprinkler systems**, delete entire section.

N. **Section R403.1.4.1, Frost protection, Exception 1**, is amended to read as follows:

1. Freestanding accessory structures (private garages) with an area of 576 square feet (53.5 m<sup>2</sup>) or less and an eave height of 10 feet (3048 mm) or less shall not be required to be protected.

O. **Chapter 11, Energy Efficiency**. Delete this chapter in its entirety and replace with:

All buildings governed by the IRC shall comply with the 2009 Energy Conservation Code Chapter 4.

P. **Section R1004.4, Unvented gas log heaters**, delete.

Q. **Section G2406.2 (303.3) Prohibited locations, Exception 3**, delete.

R. **Section G2406.2 (303.3) Prohibited locations, Exception 4**, delete.

S. **Section G2406.4, LP-gas appliance in pit or basement**, is added to read as follows:

Liquefied petroleum gas piping may serve a gas appliance located in a pit, basement or similar location when the following conditions are met:

1. There shall be installed a listed gas detector that is interlocked to a listed solenoid valve located so as to shut off the supply of gas to the building in the event of an alarm.

2. There shall be installed an exhaust system for the purpose of removing unburned gases. The exhaust system shall be interlocked to the gas detector so as to operate automatically in the event of an alarm. The exhaust system shall provide a minimum of four (4) air changes per hour, and the exhaust intake shall be located within 6 inches of the floor.

T. **Section G2415.10, Minimum burial depth**, is amended by the addition of the following:

All plastic fuel gas piping shall be installed a minimum of 18 inches (457 mm) below grade.

U. **Section G2433 (603), Log lighters**, delete.

V. **Section G2445.2 (621.2) Prohibited use**, is amended to read as follows:

Unvented room heaters are not to be installed in dwelling units.

W. **Section G2445.7.1 (621.7.1), Unvented decorative room heaters**, delete.

X. **Section P2717.2, Sick dishwasher**, is amended as follows:

A sink and dishwasher are permitted to discharge through a single 1.5 inch (38 mm) trap after the dishwasher passes through an air gap device. No domestic dishwashing machine shall be directly connected to a drainage system or food waste disposer without the use of an approved dishwasher air gap fitting on the discharge side of the dishwashing machine. Listed air gap fittings shall be installed with the flood level (FL) marking at or above the flood level of the sink or drainboard, whichever is higher, or separately trapped with air gap located on the stand pipe.

Y. **Section P2717.3, Sink dishwasher and food grinder**, is amended as follows:

The combined discharge from a sink, dishwasher, dishwasher and food waste grinder is permitted to discharge through a single 1.5 inch (38 mm) trap after the dishwasher passes through an air gap device. No domestic dishwashing machine shall be directly connected to a drainage system or food waste disposer without the use of an approved dishwasher air gap fitting on the discharge side of the dishwashing machine. Listed air gap fittings shall be installed with the flood level (FL) marking at or above the flood level of the sink or drainboard, whichever is higher, or separately trapped with air gap located on the stand pipe.

Z. **Section P3103.1, Roof extension**, is amended by filling in both areas where indicated to read "12 inches (4572 mm)."

AA. **Section E3301.1, Applicability**, is amended by the addition of a second paragraph as follows:

Any conflict with the provisions of this code and the current electrical code adopted by the State of Colorado Electrical Board shall comply with the current State code.

(Ord. 639 § 1, 2011; Ord. 597 § 1, 2008; Ord. 582 § 1 (part), 2007; Ord. 660 § 1, 2014)

## **Chapter 15.12**

### **International Existing Building Code**

**15.12.010 International Existing Building Code Adoption.**

**15.12.020 International Existing Building Code Amendments.**

**15.12.010 International Existing Building Code Adoption.**

There is hereby adopted by the Town of Hayden, for the purpose of providing minimum life safety requirements for all existing buildings within the Town that undergo alteration or a change in use, that certain code known as the International Existing Building Code, 2009 Edition, published by the International Code Council, 4951 West Flossmoor Road, Country Club Hills, IL 60478. The code, and the whole thereof, is adopted by reference thereto the same as if set forth in length in this section. This adoption is subject to the amendments set forth herein. (Ord. 639 § 1, 2011; Ord. 587 § 1, 2008; Ord. 582 § 1 (part), 2007; Ord. 660 § 1, 2014)

**15.12.020 International Existing Building Code Amendments.**

The International Existing Building Code, 2009 Edition, is amended as follows: The following sections and paragraphs or subparagraphs of the 2009 International Existing Building Code are hereby amended or deleted as follows:

A. **Section 103.1, General**, is amended to read as follows:

The Building Department is hereby created and the official in charge shall be known as the Building Official. Building Official shall be synonymous with code official in all other references in this code.

(Ord. 639 § 1, 2011; Ord. 597 § 1, 2008; Ord. 582 § 1 (part), 2007; Ord. 660 § 1, 2014)

## **Chapter 15.20**

### **International Fire Code \***

**15.20.010 Adoption of the International Fire Code.**

**15.20.020 Establishment and Duties of Bureau of Fire Prevention.**

---

\* Prior ordinance history: Ord. 524.

**15.20.030 Definitions.**

**15.20.040 Amendments to the International Fire Code.**

**15.20.010 Adoption of the International Fire Code.**

There is hereby adopted by the Town of Hayden for the purpose of prescribing regulations governing conditions hazardous to life and property from fire, hazardous materials or explosion, that certain Code known as the International Fire Code, including Appendix Chapters B and C, published by the International Code Council, being in particular the 2006 edition thereof and the whole thereof, save and except such portions as are hereinafter deleted, modified or amended by Section 15.20.020 below, one (1) copy of which has been and is now filed in the Town Hall and the same are hereby adopted and incorporated as fully as if set out at length herein, and from the date on which this ordinance shall take effect, the provision thereof shall be controlling within the limits of the Town of Hayden within the West Rount Fire Protection District. (Ord. 634 § 1, 2010; Ord. 585 § 1, 2007)

**15.20.020 Establishment and Duties of Bureau of Fire Prevention.**

A. The International Fire Code as adopted and amended herein shall be enforced by the Fire Chief. The Fire Chief, or his or her designee, shall be in charge of the Bureau of Fire Prevention.

B. Enforcement of the International Fire Code, including but not limited to permits and inspections shall be done pursuant to the fire codes and regulations adopted by the West Rount Fire Protection District. (Ord. 634 § 2, 2010; Ord. 585 § 2, 2007)

**15.20.030 Definitions.**

Wherever the word "jurisdiction" is used in the International Fire Code, it is West Rount Fire Protection District. (Ord. 634 § 3, 2010; Ord. 585 § 3, 2007)

**15.20.040 Amendments to the International Fire Code.**

The 2006 Edition of the International Fire Code is subject to the following amendments and deletions:

A. **Section 105, Permits**, shall be amended to add the following sections:

**105.1.4 Permit Fees.** The fee for each permit shall be as set forth in the fee schedule adopted by the jurisdiction. All other permits fees shall be as listed in Table 105-A.

Whenever work for which a permit is required by the fire code has been commenced without first obtaining a permit, a special investigation shall be made before a permit may be issued for such work. An investigation fee, in addition to the permit fee, may be collected whether or not a permit is then or subsequently issued. The investigation fee shall be equal to the amount of the permit fee required by Table 105-A.

**105.1.5 Plan Review Fees.** The fee for each plan review shall be set forth in the fee schedule adopted by the jurisdiction.

**TABLE 105-A**

<b>Section I</b> <b>Plan Review Fee Schedule</b>	
<b>Fees</b>	
Single-family	\$35.00
Multi-family	\$50.00
Commercial	\$50.00
Radio amplification plan review	\$50.00
Development review	\$50.00
<b>Section II</b> <b>Fees for Special Activity Permits</b>	
<b>Fees</b>	
Carnivals and fairs	\$50.00 per event/location
Dry hydrant permit	\$250.00 per hydrant
Explosive or blasting permit	\$50.00 per event/location/inspection
Fireworks permit	Retail display – \$50.00 per display Public aerial display – \$100.00 per event
Underground storage tank removal	\$50.00 for the first tank and \$20.00 for every additional tank removed at the same location
Open burn permit	\$25.00 every 6 months/per location
Open flame permit/flame effect	\$25.00 per event
Tents, canopies and temporary membrane structures	\$25.00 – 200—1,000 sq. ft. \$50.00 – 1,001—2,500 sq. ft. \$200.00 – > 2,501 sq. ft.
Miscellaneous permits	\$25.00 minimum/\$50.00 maximum
<b>Section III</b> <b>Other Inspections and Fees</b>	
1. Special request, reinspections or inspections outside of normal business hours (minimum charge – 2 hours) .....	\$50.00 per hour *
2. Reinspection fees assessed at.....	\$50.00 per hour *
3. Inspections for which no fee is specifically indicated (minimum charge – ½ hour) .....	\$50.00 per hour *
4. Additional plan review required by changes, additions or revisions to plans or not otherwise noted (minimum charge – ½ hour).....	\$50.00 per hour *
5. Test of water tanks with a Type 1 Engine (minimum charge – 1 hour).....	\$218.00 per hour *
6. For use of outside consultants for plan checking and inspections, or both .....	actual costs **

\* Or the total hourly cost to the jurisdiction, whichever is greatest. This cost shall include supervision, overhead, equipment, hourly wages and fringe benefits of the employees involved.

\*\* Actual costs include administrative and overhead costs.

B. **Section 105.6.30, Open burning**, is amended to delete the Exception.

C. **Section 307.2, Permit required**, is amended to read as follows:

A permit shall be obtained from the fire code official in accordance with Section 105.6 prior to kindling a fire.

D. **Section 501.1, Scope**, is amended to add a second paragraph as follows:

The fire code official shall have the authority to adopt additional standards for fire service features subject to applicable provisions of State statutes and home rule charter.

E. **Section 901.1, Scope**, is amended to add a second paragraph as follows:

The fire code official shall have the authority to adopt additional standards for fire protection systems subject to applicable provisions of state statutes and home rule charter.

F. **Section 903.2.7, Group R**, is amended to add the following Exception:

**EXCEPTION:** An automatic sprinkler system is not required in multi-use buildings, two stories or less with no more than 2 dwelling units, provided the building is constructed as required by Section 302.3.2, and an automatic and manual fire alarm system is installed in accordance with NFPA 72. Sprinkler systems required by other sections and other codes must still be provided.

G. **Section 907.2.1, Group A, Exception**, delete.

H. **Section 907.2.2, Group B, Exception**, delete.

I. **Section 907.2.4, Group F, Exception**, delete.

J. **Section 907.2.7, Group M, Exception**, delete.

K. **Section 907.2.8.1, Manual fire alarm system, Exception 2**, delete.

L. **Section 907.2.9, Group R-2, Exception 2**, delete.

M. **Section 907.3.1, Location, Exception**, delete.

N. **Section 1007.3, Exit stairways, Exceptions** to read as follows:

The area of refuge is not required at unenclosed interior exit stairways as permitted by Section 1020.1 in buildings or facilities that are equipped throughout with an automatic sprinkler system installed in accordance with Section 903.3.1.1 or 903.3.1.2.

The clear width of 48 inches (1219 mm) between the handrails is not required at exit stairways in buildings or facilities equipped throughout with an automatic sprinkler system installed in accordance with Section 903.3.1.1 or 903.3.1.2.

Areas of refuge are not required at exit stairways in buildings or facilities equipped throughout with an automatic sprinkler system installed in accordance with Section 903.3.1.1 or 903.3.1.2.

The clear width of 48 inches (1219 mm) between the handrails is not required for exit stairways accessed from a horizontal exit.

Areas of refuge are not required at exit stairways serving open parking garages.

Areas of refuge are not required for smoke protected seating areas complying with Section 1025.6.2

Areas of refuge are not required in Group R-2 occupancies.

O. **Section 1009.1, Stairway width**, the first paragraph is amended to read as follows:

The width of stairways shall be determined as specified in Section 1005.1, but such width shall be not less than 48 inches (1219 mm). See Section 1007.3 for accessible means of egress stairways.

P. **Section 1009.1, Stairway width, Exception 1**, is amended to read as follows:

1. Stairways serving one individual dwelling unit in Group R, Division 1 or 2, or serving Group U Occupancies may be 36 inches (914 mm) in width.

Q. **Section 1012.3, Handrail graspability**, is amended to read as follows:

Handrails with a circular cross section shall have an outside diameter of at least 1.25 inches (32 mm) and not greater than 2 inches (51 mm) or shall provide equivalent graspability. If a handrail is not circular, it shall have a maximum horizontal cross section dimension of at least 1.25 inches (32 mm) and not greater than 3 inches (57 mm). The narrowest horizontal cross section of the handgrip portion of the handrail shall have a minimum dimension .75 inch less than the maximum horizontal cross section. The surface of the handgrip portion of the handrail shall have a perimeter dimension of at least 4 inches (102 mm) and not greater than 6.25 inches (160 mm) measured to the centerline of the narrowest horizontal cross section. Edges shall have a minimum radius of 0.01 inch (0.25 mm).

R. **Section 1028.2, Reliability**, is amended to add a second paragraph as follows:

All exits to a public way shall be designed to be a minimum of 4 feet wide and of an all-weather surface capable of being maintained unobstructed year round.

(Ord. 634 § 4, 2010; Ord. 585 § 4, 2007)

## Chapter 15.30

### Uniform Code for the Abatement of Dangerous Buildings

#### 15.30.010 Uniform Code for the Abatement of Dangerous Buildings Adoption.

**15.30.010 Uniform Code for the Abatement of Dangerous Buildings Adoption.**

There is hereby adopted by the Town, for the purposes of providing a just, equitable and practical method, to be cumulative with and in addition to any other remedy available by law whereby buildings or structures in the Town which from any cause endanger the life, limb, health, property, safety or welfare of the general public or their occupants may be required to be repaired, vacated or demolished, that certain code known as the Uniform Code for the Abatement of Dangerous Buildings, 1997 Edition, published by the International Code Council, 500 New Jersey Avenue, NW, 6th Floor, Washington DC 20001. The code, and the whole thereof, is adopted by reference thereto the same as if set forth in length in this section. (Ord. 660 § 1, 2014)

**Chapter 15.40**

**National Electrical Code**

**15.40.010 National Electrical Code Adoption.**

**15.40.010 National Electrical Code Adoption.**

There is hereby adopted by the Town of Hayden, for the purpose of regulating the installation and use of electric conductors and equipment within the Town, that certain code known as the National Electric Code, published by the National Fire Protection Association, Batterymarch Park, Quincy, Massachusetts 02269. The code, edition, as currently adopted by the State of Colorado, State Electrical Board. (Ord. 639 § 1, 2011; Ord. 597 § 1, 2008; Ord. 582 § 1 (part), 2007; Ord. 660 § 1, 2014)

**Chapter 15.50**

**International Code Council Electrical Code**

**15.50.010 International Code Council Electrical Code, Administrative Provisions, Adoption.**

**15.50.020 International Code Council Electrical Code, Administrative Provisions, Amendments.**

**15.50.010 International Code Council Electrical Code, Administrative Provisions, Adoption.**

There is hereby adopted by the Town of Hayden, for the purpose of providing minimum standards to safeguard life or limb, health, property and public welfare by regulating and controlling the design, construction, installation, quality of materials, location, operation, and maintenance or use of electrical systems and equipment within the Town, that certain code known as the International Code Council Electrical Code, Administrative Provisions, 2003 Edition, published by the International Code Council, 5203 Leesburg Pike, Suite 600, Falls Church, VA 22041-3405. The Code, and the whole thereof, is adopted by reference thereto the same as if set forth in length in this section. This adoption is subject to the amendments set forth herein. (Ord. 639 § 1, 2011; Ord. 597 § 1, 2008; Ord. 582 § 1 (part), 2007)

**15.50.020 International Code Council Electrical Code, Administrative Provisions, Amendments.**

The International Code Council Electrical Code, Administrative Provisions, 2003 Edition, is amended as follows:

**A. Section 301.1, Creation of enforcement agency,** is amended to read as follows:

The Building Department is hereby created and the official in charge shall be known as the Building Official. The Building Official shall appoint an electrical inspector to assist the building department in the administration and enforcement of this code. Building Official shall be synonymous with code official in all other references in this code.

**B. Section 404.2.2, Schedule of permit fees,** is amended by adding a second paragraph, to read as follows:

The fee for each permit shall be as set forth in the latest adopted fee schedule as adopted by the Town of Hayden.

**C. Section 1201.1.1, Adoption,** is amended to read as follows:

Electrical systems and equipment shall be designed and constructed in accordance with the most current electrical code adopted by the State of Colorado Electrical Board.

(Ord. 639 § 1, 2011; Ord. 597 § 1, 2008; Ord. 582 § 1 (part), 2007)

**Chapter 15.60**

**International Mechanical Code**

**15.60.010 International Mechanical Code Adoption.**

**15.60.020 International Mechanical Code Amendments.**

**15.60.010 International Mechanical Code Adoption.**

There is hereby adopted by the Town of Hayden, for the purpose of regulating and controlling the design, construction, installation, quality of materials, erection, installation, alteration, repair, location, relocation, replacement, addition to, use or maintenance of heating, ventilating, cooling, refrigeration systems, incinerators and other miscellaneous heat-producing appliances in the Town, that certain code known as the International Mechanical Code, 2009 Edition; published by the International Code Council, 4951 West Flossmoor Road, Country Club Hills, IL 60478. The code, and the whole thereof, is adopted by reference thereto the same as if set forth in length in this section. This adoption is subject to the amendments set forth herein. (Ord. 639 § 1, 2011; Ord. 597 § 1, 2008; Ord. 582 § 1 (part), 2007; Ord. 660 § 1, 2014)

**15.60.020 International Mechanical Code Amendments.**

The International Mechanical Code, 2006 Edition, is amended as follows: The following sections and paragraphs or subparagraphs of the 2009 International Mechanical Code are hereby amended or deleted as follows:

A. **Section 103.1, General**, is amended to read as follows:

The Building Department is hereby created and the official in charge shall be known as the Building Official. Building Official shall be synonymous with code official in all other references in this code.

B. **Section 106.5.2, Fee schedule**, is amended by adding a second paragraph, to read as follows:

The fee for each permit shall be as set forth in the latest adopted fee schedule as adopted by the Town of Hayden.

C. **Section 203.3, Prohibited locations**, a second paragraph is added to read as follows:

Liquefied petroleum gas-burning appliances shall not be installed in a pit, basement or similar location where heavier-than-air gas might collect, unless the following conditions are met:

1. There shall be installed a listed gas detector that is interlocked to a listed solenoid valve located so as to shut off the supply of gas to the building in the event of an alarm.
2. There shall be installed an exhaust system for the purpose of removing unburned gases. The exhaust system shall be interlocked to the gas detector so as to operate automatically in the event of an alarm. The exhaust system shall provide a minimum of four (4) air changes per hour, and the exhaust intake shall be located within 6 inches of the floor.

D. **Section 903.3, Unvented gas log heaters**, delete.

(Ord. 639 § 1, 2011; Ord. 597 § 1, 2008; Ord. 582 § 1 (part), 2007; Ord. 660 § 1, 2014)

**Chapter 15.70**

**International Plumbing Code**

**15.70.010 International Plumbing Code Adoption.**

**15.70.020 International Plumbing Code Amendments and Deletions.**

**15.70.010 International Plumbing Code Adoption.**

There is hereby adopted by the Town of Hayden, for the purpose of regulating and controlling design, construction, installation, quality of materials, erection, installation, alteration, repair, location, relocation, replacement, addition to, use or maintenance of any plumbing system within the Town, that certain code known as the International Plumbing Code, 2009 Edition, including Appendices B, D, E, F and G, published by the International Code Council, 4951 West Flossmoor

Road, Country Club Hills, IL 60478. The code, and the whole thereof, is adopted by reference thereto the same as if set forth in length in this section. This adoption is subject to the amendments set forth herein. (Ord. 639 § 1, 2011; Ord. 597 § 1, 2008; Ord. 582 § 1 (part), 2007; Ord. 660 § 1, 2014)

#### **15.70.020 International Plumbing Code Amendments and Deletions.**

The International Plumbing Code, 2009 Edition, is amended as follows: The following sections and paragraphs or subparagraphs of the 2009 International Plumbing Code are hereby amended or deleted as follows:

**A. Section 103.1, General,** is amended to read as follows:

The Building Department is hereby created and the official in charge shall be known as the Building Official. Building Official shall be synonymous with code official in all other references in this code.

**B. Section 106.6.2, Fee schedule,** is amended by adding a second paragraph, to read as follows:

The fee for each permit shall be as set forth in the latest adopted fee schedule as adopted by the Town of Hayden.

**C. Section 1003.4, Sand and oil separators required,** is amended to read as follows:

At any building providing access to motor vehicles, repair garages, car washing facilities, and where oily or flammable liquid wastes are produced or stored, separators shall be installed into which water that may contain heavy solids, oil-bearing, grease-bearing or flammable wastes shall be discharged before emptying in the building drainage system or other point of disposal. Sand and oil interceptors shall be designed and located so as to be provided with ready access for cleaning. Location within a building will require a vapor tight cover.

**Exception:** Private garages attached to a dwelling or townhome.

**D. Section 802.1.6, Domestic dishwashing machines,** is amended to read as follows:

No domestic dishwashing machine shall be directly connected to a drainage system or food waste disposer without the use of an approved air gap fitting on the discharge side of the dishwashing machine. Listed air gaps shall be installed with the flood level (FL) marking at or above the flood level of the sink or drain board, whichever is higher, or separately trapped with the air gap located on the stand pipe.

**E. Section 904.1, Roof extension,** is amended by inserting the number "12 inches (457.2 mm)" where indicated in the first sentence.

**F. Section 1003.4.2, Sand and oil separator design,** is amended to read as follows:

Sand and oil separators shall be designed in accordance with 1003.4.2.1.

**G. Section 1003.4.2.1, General design requirements,** is amended to read as follows:

Sand and oil separators shall have a depth of not less than 2 feet (610 mm) below the invert of the discharge drain. The outlet opening of the separator shall have not less than an 18-inch (457 mm) water seal. The inlet shall extend to within 6 inches (152 mm) of the bottom of the interceptor. Sand and oil separators shall have a minimum capacity of 6 cubic feet (0.168 m<sup>3</sup>) for the first 100 square feet (9.3 m<sup>2</sup>) of area to be drained, plus 1 cubic foot (0.028 m<sup>3</sup>) for each additional 100 square feet (9.3 m<sup>2</sup>) of area to be drained into the separator.

F. **Section 1003.4.2.2, Garages and service stations**, delete. (Ord. 639 § 1, 2011; Ord. 597 § 1, 2008; Ord. 582 § 1 (part), 2007; Ord. 660 § 1, 2014)

## Chapter 15.74

### International Fuel Gas Code

**15.74.010 International Fuel Gas Code Adoption.**

**15.74.020 International Fuel Gas Code Amendments and Deletions.**

#### **15.74.010 International Fuel Gas Code Adoption.**

There is hereby adopted by the Town of Hayden, for the purpose of regulating and controlling the installation of fuel-gas piping systems, fuel-gas utilization equipment and related accessories within the Town, that certain code known as the International Fuel Gas Code, 2009 Edition, published by the International Code Council, 4951 West Flossmoor Road, Country Club Hills, IL 60478. The code, and the whole thereof, is adopted by reference thereto the same as if set forth in length in this section. This adoption is subject to the amendments set forth herein. (Ord. 639 § 1, 2011; Ord. 597 § 1, 2008; Ord. 582 § 1 (part), 2007; Ord. 660 § 1, 2014)

#### **15.74.020 International Fuel Gas Code Amendments and Deletions.**

The International Fuel Gas Code, 2009 Edition, is amended as follows: The following sections and paragraphs or subparagraphs of the 2009 International Fuel Gas Code are hereby amended or deleted as follows:

A. **Section 103.1, General**, is amended to read as follows:

The Building Department is hereby created and the official in charge shall be known as the Building Official. Building Official shall be synonymous with code official in all other references in this code.

B. **Section 106.5.2, Fee schedule**, is amended by adding a second paragraph, to read as follows:

The fee for each permit shall be as set forth in the latest adopted fee schedule as adopted by the Town of Hayden.

C. **Section 303.3, Prohibited locations, Exception 3**, delete.

D. **Section 303.3, Prohibited locations, Exception 4**, delete.

E. **Section 303.3, Prohibited locations**, a second paragraph is added to read as follows:

Liquefied petroleum gas-burning appliances shall not be installed in a pit, basement or similar location where heavier-than-air gas might collect, unless the following conditions are met:

1. There shall be installed a listed gas detector that is interlocked to a listed solenoid valve located so as to shut off the supply of gas to the building in the event of an alarm.

2. There shall be installed an exhaust system for the purpose of removing unburned gases. The exhaust system shall be interlocked to the gas detector so as to operate automatically in the event of an alarm. The exhaust system shall provide a minimum of four (4) air changes per hour, and the exhaust intake shall be located within 6 inches of the floor.

F. **Section 404.10, Minimum burial depth**, is amended by the addition of the following:

All plastic fuel gas piping shall be installed a minimum of 18 inches (457 mm) below grade.

G. **Section 603, Log lighters**, delete.

H. **Section 621.2, Prohibited use**, is amended to read as follows:

Unvented room heaters are not to be installed in dwelling units.

(Ord. 639 § 1, 2011; Ord. 597 § 1, 2008; Ord. 582 § 1 (part), 2007; Ord. 660 § 1, 2014)

## **Chapter 15.76**

### **International Energy Conservation Code**

**15.76.010 International Energy Conservation Code Adoption.**

**15.76.020 International Energy Conservation Code Amendments and Deletions.**

**15.76.010 International Energy Conservation Code Adoption.**

There is hereby adopted by the Town of Hayden, for the purpose of providing minimum standards for the effective use of energy, that certain code known as the International Energy Conservation Code, 2009 Edition, published by the International Code Council, 4951 West Flossmoor Road, Country Club Hills, IL 60478. The code, and the whole thereof, is adopted by reference thereto the same as if set forth in length in this section. This adoption is subject to the amendments set forth herein. (Ord. 639 § 1, 2011; Ord. 597 § 1, 2008; Ord. 660 § 1, 2014)

**15.76.020 International Energy Conservation Code Amendments and Deletions.**

The following sections and paragraphs or subparagraphs of the 2009 International Energy Conservation Code are amended or deleted as follows:

A. The International Energy Conservation Code is amended by replacing all references to "International Fire Code" with "adopted fire code."

B. The International Energy Conservation Code is amended by replacing all references to "ICC Electrical Code" with "National Electrical Code" as adopted by the State of Colorado.

C. The International Energy Conservation Code Section 101.1, Title, is amended by the addition of the term "Town of Hayden" where indicated. (Ord. 639 § 1, 2011; Ord. 597 § 1, 2008; Ord. 660 § 1, 2014)

## **Chapter 15.80**

### **Uniform Solar Energy Code**

**15.80.010 Adoption of the Uniform Solar Energy Code, 1994 Edition.**

**15.80.020 Penalty.**

**15.80.010 Adoption of the Uniform Solar Energy Code, 1994 Edition.**

Pursuant to the powers given to it by Colorado Revised Statutes 31-16-201 to 31-16-208, 1973, as amended, the Town of Hayden hereby adopts the following code by reference: Uniform Solar Energy Code, 1994 Edition. (Ord. 455, 1997; Ord. 427, 1995)

**15.80.020 Penalty.**

Any person convicted of violating any provision of the preceding section shall, upon conviction, be punished by a fine of not more than three hundred dollars (\$300) or be imprisoned for more than ninety (90) days, or by both such fine and imprisonment. Each day that such violation continues shall constitute a separate offense. (Ord. 455, 1997; Ord. 427, 1995)

## **Chapter 15.90**

### **Uniform Swimming Pool, Spa and Hot Tub Code**

**15.90.010 Adoption of the Uniform Swimming Pool, Spa and Hot Tub Code, 1994 Edition.**

**15.90.020 Penalty.**

**15.90.010 Adoption of the Uniform Swimming Pool, Spa and Hot Tub Code, 1994 Edition.**

Pursuant to the powers given to it by Colorado Revised Statutes 31-16-201 to 31-16-208, 1973, as amended, the Town of Hayden hereby adopts the following code by reference: Uniform Swimming Pool, Spa and Hot Tub, 1994 Edition. (Ord. 455, 1997; Ord. 427, 1995)

**15.90.020 Penalty.**

Any person convicted of violating any provision of the preceding section shall, upon conviction, be punished by a fine of not more than three hundred dollars (\$300) or be imprisoned for more than ninety (90) days, or by both such fine and imprisonment. Each day that such violation continues shall constitute a separate offense. (Ord. 455, 1997; Ord. 427, 1995)

## Chapter 15.94

### Fee Schedule

#### 15.94.010 Adoption of Fee Schedule.

#### 15.94.010 Adoption of Fee Schedule.

Building permit fees, electrical permit fees, plumbing permit fees, mechanical permit fees, pool, spa and hot tub permit fees, grading plan review fees, grading permit fees, other fees, factory-built home, manufactured home, and mobile home permit fees, elevator permit fees, and fire suppression and detection permit fees are hereby repealed and a new Table 3-A—Fee Schedule is adopted as follows:

**Table 3-A—Fee Schedule**

#### A. Building Permit and Plan Review Fees.

##### 1. Building Permit Fees.

<i>Total Valuation</i>	<i>Fee</i>
\$1.00 to \$500.00	\$15.00
\$501.00 to \$2,000.00	\$15.00 for the first \$500.00 plus \$2.00 for each additional \$100.00 or fraction thereof, up to and including \$2,000.00
\$2001.00 to \$25,000.00	\$45.00 for the first \$2,000.00 plus \$9.00 for each additional \$1,000.00 or fraction thereof, to and including \$25,000.00
\$25,001.00 to \$50,000.00	\$252.00 for the first \$25,000.00 plus \$6.50 for each additional \$1,000.00 or fraction thereof, up to and including \$50,000.00
\$50,001.00 to \$100,000.00	\$414.50 for the first \$50,000.00 plus \$4.50 for each additional \$1,000.00 or fraction thereof, up to and including \$100,000.00
\$100,001.00 to \$500,000.00	\$639.50 for the first \$100,000.00 plus \$3.50 for each additional \$1,000.00 or fraction thereof, to and including \$500,000.00
\$500,001.00 to \$1,000,000.00	\$2,039.50 for the first \$500,000.00 plus \$3.00 for each additional \$1,000.00 or fraction thereof, to and including \$1,000,000.00
\$1,000,001.00 and up	\$3,539.50 for the first \$1,000,000.00 plus \$2.00 for each additional \$1,000.00 or fraction thereof

2. Plan Review Fee. When a plan or other data is required to be submitted, a plan review fee shall be paid at the time of submitting plans and specifications for review. The plan review fee for buildings and structures shall be sixty-five percent of the building permit fee as set forth above.

#### B. Electrical Permit Fees.

<i>Permit Issuance (in addition to items below):</i>	
For issuing each permit	\$25.00
For issuing each supplemental permit	\$15.00

Residential. This shall include modular homes, mobile homes, duplexes, condominiums and townhomes. Fees for all new construction and extensive remodeling and additions shall be as follows (based on floor area):

Not more than 1,000 sq. ft.	\$45.00
Over 1,000 sq. ft. but not more than 1,500 sq. ft.	\$67.00
Over 1,500 sq. ft. but not more than 2,000 sq. ft.	\$85.00
For each additional 100 sq. ft. in excess of 2,000 sq. ft. add	\$3.50

All other fees, except for inspection in mobile home and RV parks, shall be computed based on the dollar value of the electrical installation, including labor and material. The fees shall be computed as follows:

More than \$0 but not more than \$2,000.00	\$45.00
More than \$2,000.00 but not more than \$50,000.00	\$18.00*
More than \$50,000.00 but not more than \$500,000.00	\$17.00**
More than \$500,000.00	\$16.00***
Mobile homes and travel (RV) parks per space	\$50.00

\* per thousand or fraction thereof

\*\* per thousand or fraction thereof plus \$50.00

\*\*\* per thousand or fraction thereof plus \$550.00

### C. Plumbing Permit Fees.

<i>Permit Issuance:</i>	
1. For the issuance of each permit	\$25.00
2. For issuing each supplemental permit	\$15.00

<i>Unit Fee Schedule (in addition to item 1 or 2 above):</i>	
1. Fixtures and Vents:	
For each plumbing fixture or trap or set of fixtures on one trap (including water piping, drainage piping, and backflow protection therefore)	\$8.00
For repair or alteration of drainage or vent piping, each fixture	\$10.00
2. Water Piping:	
For installation, alteration, or repair of building water piping and/or water-treating equipment, each	\$10.00
3. Roof Drains:	
Roof drain systems—per roof drain or overflow drain (inside building)	\$17.00
4. Water Heaters:	
For each water heater and/or vent	\$10.00
5. Fuel Gas Piping:	
For each gas pipe system of one to five outlets	\$20.00
For each additional gas piping system outlet, per outlet	\$1.00
6. Disposal Systems and Interceptors:	
For each industrial waste pretreatment interceptor or grease trap	\$10.00
7. Backflow Protection:	
For each building backflow protective device or building atmospheric-type vacuum breakers or irrigation system backflow device:	
2 inches and smaller	\$10.00
over 2 inches	\$20.00
8. Graywater System:	
For each graywater system	\$8.00
9. Medical Gas Piping:	
For each medical gas piping system serving one to five inlet(s)/outlets(s) for a specific gas	\$20.00
For each additional medical gas inlet/outlet	\$1.00

D. Mechanical Permit Fees.

<b><i>Permit Issuance:</i></b>	
1. For the issuance of each permit	\$25.00
2. For issuing each supplemental permit	\$15.00
<b><i>Unit Fee Schedule (in addition to items 1 and 2 above):</i></b>	
<b>1. Furnaces and Heaters:</b>	
For the installation or relocation of each forced-air or gravity-type furnace or burner, including ducts and vents attached to such appliance, up to and including 100,000 Btu/h	\$16.50
For the installation or relocation of each forced-air or gravity-type furnace or burner, including ducts and vents attached to such appliance over 100,000 Btu/h	\$21.00
For the installation or relocation of each floor furnace, including vent	\$16.50
For the installation or relocation of each suspended heater, recessed wall heater or floor-mounted unit heater	\$16.50
For the installation of a wood or gas fired fireplace, insert, or stove	\$16.50
<b>2. Fuel Gas Piping and Tanks:</b>	
Gas piping systems of one to five outlets	\$20.00
For each additional gas outlet	\$1.00
LPG Tank set and yard piping	\$10.00
<b>3. Boilers and Compressors:</b>	
For the installation or relocation of each boiler or compressor to and including three horsepower or each absorption system to and including 100,000 Btu/h	\$16.50
For the installation or relocation of each boiler or compressor over three horsepower to and including 15 horsepower, or each absorption system over 100,000 Btu/h to and including 500,000 Btu/h	\$30.50
For the installation or relocation of each boiler or compressor over 15 horsepower to and including 30 horsepower, or each absorption system over 500,000 Btu/h to and including 1,000,000 Btu/h	\$42.00
For the installation or relocation of each boiler or compressor over 30 horsepower to and including 50 horsepower, or each absorption system over 1,000,000 Btu/h to and including 1,750,000 Btu/h	\$62.00
For the installation or relocation of each boiler or refrigeration compressor over 50 horsepower, or each absorption system over 1,750,000 Btu/h	\$104.00
<b>4. Air Handling Units:</b>	
For each air-handling unit to and including 10,000 CFM, including ducts attached thereto	\$12.00
For each air-handling over 10,000 CFM	\$20.00
<b>5. Ventilation and Exhaust:</b>	
For each ventilation fan connected to single duct	\$8.00
For each ventilation system which is not a portion of any heating or air-conditioning system authorized by a permit	\$12.00
For the installation of each domestic-type hood which is served by mechanical exhaust, including ducts for such hood	\$12.00
For the installation of each commercial or industrial hood which is served by mechanical exhaust, including the ducts for such hood	\$30.00

6. Evaporative Coolers:	
For each evaporative cooler other than a portable type	\$12.00
7. Appliance Vents:	
For the installation, relocation or replacement of each appliance vent installed and not included in an appliance permit (includes dryer duct)	\$8.50
8. Repair or Additions:	
For the repair of, alteration of, or addition to each heating appliance, refrigeration unit, cooling unit, absorption unit, or each heating, cooling, absorption, or evaporative cooling system, including installation of controls regulated by the UMC or IMC	\$15.50
9. Miscellaneous:	
For each appliance or piece of equipment regulated by the UMC or IMC but not classed in other appliance categories, or for which no other fee is listed in this schedule of fees	\$12.00

E. Pool, Spa and Hot Tub Permit Fees.

<i>Permit Issuance:</i>	
Public Pools and Hot Tubs (each)	\$30.00
Private Pools and Hot Tub (each)	\$20.00

Building permit and plan review fees along with plumbing, mechanical and electrical sub-permits shall apply. Permit fees shall be based on building and sub-permit fee schedules.

F. Grading Plan Review Fees.

50 cubic yards	no fee
50 to 100 cubic yards	\$26.50
100 to 1,000 cubic yards	\$42.00
1,000 to 10,000 cubic yards	\$55.00
10,000 to 100,000 cubic yards	\$55.00 for the first 10,000 cubic yards, plus \$27.50 for each additional 10,000 cubic yards or fraction thereof
100,000 to 200,000 cubic yards	\$302.50 for the first 100,000 cubic yards, plus \$14.85 for each additional 10,000 cubic yards or fraction thereof
200,000 cubic yards or more	\$451.00 for the first 200,000 yards, plus \$8.15 for each additional 10,000 cubic yards or fraction thereof

G. Grading Permit Fees.

0 to 100 cubic yards	\$50.00
100 to 1,000 cubic yards	\$50.00 for the first 100 cubic yards, plus \$20.00 for each additional 100 cubic yards or fraction thereof
1,000 to 10,000 cubic yards	\$230.00 for the first 1,000 cubic yards, plus \$16.50 for each additional 1,000 cubic yards or fraction thereof

10,000 to 100,000 cubic yards	\$378.50 for the first 10,000 cubic yards, plus \$75.00 for each additional 10,000 cubic yards or fraction thereof
100,000 cubic yards or more	\$1,053.50 for the first 100,000 cubic yards plus \$42.00 for each additional 10,000 cubic yards or fraction thereof

H. Other Fees.

1. Inspections outside of normal business hours (minimum charge – 4 hours)	\$50.00 per hour
2. Reinspection fees (work not ready for inspection or called for corrections not made)	\$50.00
3. Inspections for which no fee is specifically indicated (minimum charge – 2 hours)	\$50.00 per hour
4. Additional plan review required by changes, additions or revisions to or revisions to the approved plans (minimum charge – ½ hour)	\$50.00 per hour

I. Factory-Built Home, Manufactured Homes and Mobile Home Permit Fee Schedule.

<b><i>Building Permit Fees:</i></b>	
For each factory-built home	\$100.00 per section plus building permit and plan review fees as determined based on the valuation (material and labor) for foundation systems, porches, decks and stairs or other permanent construction which are not components of the factory-built home as produced.

<b><i>Electrical Permit Fees:</i></b>	
For hookup of each factory-built home	\$45.00
Fees for additions, remodels and repairs to factory-built home electrical systems shall be as determined for electrical permit fees.	

<b><i>Plumbing Permit Fees:</i></b>	
For the issuance of each permit	\$15.00
For hookup of each factory-built home plumbing system	\$9.00
Fees for additions, remodels and repairs to factory-built home plumbing systems shall be as determined for plumbing permit fees.	

<b><i>Mechanical Permit Fees:</i></b>	
For the issuance of each permit	\$15.00
For hookup of fuel gas system to each factory-built home	\$9.00
Fees for additions, remodels and repairs to factory-built home mechanical systems shall be as determined for mechanical permit fees.	

***Elevator Permit Fees:***

North West Colorado Council of Government (NWCCOG) is the inspection agency for all elevator installations in Hayden. Contact NWCCOG at (970) 468-0295 ext. 108 for fee information on elevator permits.

***Fire Suppression and Detection Permit Fees:***

The West Routt Fire Protection District has access and fire prevention review authority for buildings constructed in their district. Contact the district for application submittal information and permit fees.

(Ord. 582 § 2, 2007)